

S71	292	(712/221).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 09:49
S72	872	(713/400).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 09:49
S73	594	(713/501).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 09:49
S74	664	(713/600).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 09:49
S75	744	(712/23).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/13 14:25
S76	112	(712/30).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/13 14:26
S77	330	(712/221).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/13 14:26
S78	1013	(713/400).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/13 14:26
S79	634	(713/501).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/13 14:26
S80	770	(713/600).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/13 14:27

S81	126	(clock adj1 speed) near4 ((arithmetic adj1 logic adj1 unit\$1) or ALUs or (execution adj1 unit\$1) or (process\$3 adj1 unit\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/13 14:30
S82	4	(clock adj1 speed) near4 ((arithmetic adj1 logic adj1 unit\$1) or ALUs or (execution adj1 unit\$1) or (process\$3 adj1 unit\$1)) near4 ((high\$2 or fast\$2) and (low\$3 or slow\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/13 14:31
S83	4	(clock adj1 speed) with ((arithmetic adj1 logic adj1 unit\$1) or ALUs or (execution adj1 unit\$1) or (process\$3 adj1 unit\$1)) with ((high\$2 or fast\$2) and (low\$3 or slow\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/13 14:32
S84	50	(clock adj1 speed) same ((arithmetic adj1 logic adj1 unit\$1) or ALUs or (execution adj1 unit\$1) or (process\$3 adj1 unit\$1)) same ((high\$2 or fast\$2) and (low\$3 or slow\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/13 14:32
S85	17	("5428754").URPN.	USPAT	OR	OFF	2005/04/13 14:39
S86	35	("3656123").URPN.	USPAT	OR	OFF	2005/04/13 14:40

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("6256745").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 08:36
S2	1	("5828868").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 08:52
S3	1	("6216234").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 08:53
S4	0	compar\$4 near4 (ALUs near4 result\$1) near4 \$3match\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 08:53
S5	3086	compar\$4 near4 result\$1 near4 \$3match\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 08:54
S6	1554	compar\$4 adj2 result\$1 near4 \$3match\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 08:54
S7	3	compar\$4 near4 ((ALU\$1 or arithmetic) adj1 result\$1) near4 \$3match\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 08:55
S8	16	compar\$4 near4 ((ALU\$1 or arithmetic) near4 result\$1) near4 \$3match\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 08:56
S9	2128273	compar\$4 adj\$1 result\$1 near4 \$3match\$3 near4 ALU\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 08:57
S10	1299	(compar\$4 adj\$1 result\$1) near4 \$3match\$3 near4 (ALU\$1 or unit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 08:58
S11	44	(compar\$4 adj1 result\$1) near4 \$3match\$3 near4 (ALU\$1 or unit\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:00

S12	0	compar\$4 near4 ((ALU\$1 or (\$point adj1 unit\$1)) adj1 result\$1) near4 \$3match\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:01
S13	1339	compar\$4 adj1 result\$1 near4 \$3match\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:03
S14	399	(compar\$4 adj1 result\$1) near4 \$3match\$3 same (ALU\$1 or (arithmetic adj2 unit\$1) or process\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:04
S15	15	(compar\$4 adj1 result\$1) near4 \$3match\$3 same (ALU\$1 or (arithmetic adj2 unit\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:07
S16	204	(compar\$4 adj1 result\$1) near4 (data near4 \$3match\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:08
S17	6	(compar\$4 adj1 result\$1) near4 (data near4 \$3match\$3) near4 count\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:10
S18	6	(compar\$4 adj1 output\$1) near4 (data near4 \$3match\$3) near4 count\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:29
S19	310	(compar\$4 near4 ((ALU\$1 or arithmetic or process\$3) output\$1)) near4 \$3match\$3 near4 (count\$3 or track\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:31
S20	292	(compar\$4 near4 ((ALU\$1 or arithmetic or process\$3) output\$1)) near4 \$3match\$3 near4 (count\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:31
S21	3	(compar\$4 near4 ((ALU\$1 or arithmetic or process\$3) near4 output\$1)) near4 \$3match\$3 near4 (count\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:32
S22	3	(compar\$4 near4 ((ALU\$1 or arithmetic or process\$3) near4 output\$1)) near4 \$3match\$3 near4 (count\$3 or track\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:32
S23	81	(compar\$4 near4 ((ALU\$1 or arithmetic or process\$3) near4 output\$1)) near4 \$3match\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:35

S24	3	(compar\$4 near4 ((ALU\$1 or arithmetic or process\$3) near4 output\$1)) near4 \$3match\$3 with (count\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:33
S25	11	(compar\$4 near4 ((ALU\$1 or arithmetic or process\$3) near4 output\$1)) near4 \$3match\$3 same (count\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:33
S26	9	(compar\$4 near4 ((ALU\$1 or arithmetic) near4 output\$1)) near4 \$3match\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:46
S27	0	compar\$4 near4 ((floating adj1 point\$1) near4 output\$1) near4 \$3match\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:46
S28	0	compar\$4 near4 ((floating?point\$1) near4 output\$1) near4 \$3match\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:47
S29	0	comparing near4 ((arithmetic or logic) adj1 (outputs or results)) near4 \$3match\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:48
S30	223	comparing near4 (outputs or results) near4 \$3match\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:48
S31	0	comparing near4 (data adj1 (outputs or results)) near4 \$3match\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:48
S32	18	comparing near4 (data near4 (outputs or results)) near4 \$3match\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:51
S33	40	comparator near4 (data near4 (outputs or results)) near4 \$3match\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/09/20 09:51
S34	1	("6161171").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 15:52
S35	2	((("3656123") or ("5428754"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 09:04

S36	1	"20020038418"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:56
S37	14	(clock adj1 frequency) near4 ALU	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:57
S38	0	(long adj1 latency adj1 instruction\$1) near4 (co?processor\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:17
S39	0	(long adj1 latency adj1 instruction\$1) same (co?processor\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:04
S40	1	(long adj1 latency adj1 instruction\$1) near4 separate	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:04
S41	100	long adj1 latency adj1 instruction\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:05
S42	39	load near4 co?processor\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:15
S43	606	memory near4 co?processor\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:17
S44	0	(long adj1 latency) near4 (co?processor\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:17
S45	58	memory adj1 co?processor\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:26
S46	8	I/O adj1 co?processor\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:26
S47	13703	I/O near4 processor\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:27

S48	2477	I/O adj1 processor\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:27
S49	84	I/O near4 co?processor\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:27
S50	8	I/O adj1 co?processor\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:29
S51	512	load adj1 store adj1 units	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:29
S52	12	(load adj1 store adj1 units) near4 processors	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:29
S53	0	(load adj1 store adj1 units) near4 (instruction adj1 length)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:32
S54	1	(load adj1 store adj1 units) same (instruction adj1 length)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:33
S55	2	(processing adj1 units) same (instruction adj1 length)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/11 09:44
S56	5	("3401376" "3248708" "3426328" "3569939" "3573743").PN.	USPAT	OR	OFF	2004/08/11 09:08
S57	35	"3656123".URPN.	USPAT	OR	OFF	2004/08/11 09:08
S58	0	((float\$3 adj1 point) adj1 (units or co?processors or processors)) near4 (instruction near4 tim\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/11 09:46
S59	16	((float\$3 adj1 point) adj1 (units or co?processors or processors)) near4 tim\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/11 09:52
S60	10	("4725973" "5233694" "5481736" "5488729" "5560035" "5692139" "5838986" "5890009" "5923871" "6163837").PN.	USPAT	OR	OFF	2004/08/11 09:49

S61	217	(float\$3 adj1 point) near4 instruction\$1 near4 (length or tim\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/11 10:14
S62	88	(float\$3 adj1 point) adj1 instruction\$1 near4 (length or tim\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 08:24
S63	6	(integer and (floating adj1 point)) adj1 (unit\$1 or processor\$1 or co?processor\$1) same (execut\$3 adj1 tim\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 08:34
S64	143	(integer and (floating adj1 point)) adj1 (unit\$1 or processor\$1 or co?processor\$1) same (instruction\$1 adj1 execut\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 08:35
S65	3	(integer and (floating adj1 point)) adj1 (unit\$1 or processor\$1 or co?processor\$1) same (clock near4 frequency)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 08:43
S66	55	(integer and (floating adj1 point)) adj1 (unit\$1 or processor\$1 or co?processor\$1) same (clock near4 cycle\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 08:43
S67	55	(integer and (floating adj1 point)) adj1 (unit\$1 or processor\$1 or co?processor\$1) same (clock\$3 near4 cycle\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 08:43
S68	23	("4658355" "5363495" "5428807" "5497499" "5572690" "5600848" "5682493" "5699460" "5704054" "5748936" "5758139" "5805838" "5838939" "5913059" "5943491" "5944816" "5974524" "5987588" "6065109" "6085316" "6185668" "6205538" "6381692").PN.	USPAT	OR	OFF	2004/08/12 08:45
S69	728	(712/23).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 09:48
S70	109	(712/30).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 09:48